



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "(((api and san)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2003))"

Your search matched 17 of 1557368 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail
 printer friendly

» Search Options

[View Session History](#)[New Search](#)

Modify Search

(((api and san)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2003)

Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

view selected items

[Select All](#) [Deselect All](#)

- ☐ 1. **CrispORB: high performance CORBA for system area network**
Ishizaki, T.; Saeki, T.; Kishimoto, M.;
[High Performance Distributed Computing, 1999. Proceedings. The Eighth International Symposium on](#)
3-6 Aug. 1999 Page(s):11 - 18
Digital Object Identifier 10.1109/HPDC.1999.805277
[AbstractPlus](#) | Full Text: [PDF](#)(592 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **Mobile IP API**
Yokote, A.; Yegin, A.E.; Bin Tariq, M.M.; Guangrui Fu; Williams, C.; Takeshita, A.;
[Mobile and Wireless Communications Network, 2002. 4th International Workshop on](#)
9-11 Sept. 2002 Page(s):480 - 484
Digital Object Identifier 10.1109/MWCN.2002.1045811
[AbstractPlus](#) | Full Text: [PDF](#)(365 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **An API for scalable reliable multicast**
Gemmell, J.; Liebeherr, J.; Bassett, D.;
[Computer Communications and Networks, 1997. Proceedings.. Sixth International Conference on](#)
22-25 Sept. 1997 Page(s):60 - 64
Digital Object Identifier 10.1109/ICCCN.1997.623291
[AbstractPlus](#) | Full Text: [PDF](#)(764 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 4. **API Standard 546-a new purchase specification for large synchronous motors and generators**
Hamer, P.S.; McClung, L.B.; Bredthauer, J.;
[Industry Applications, IEEE Transactions on](#)
Volume 27, Issue 6, Nov.-Dec. 1991 Page(s):1186 - 1194
Digital Object Identifier 10.1109/28.108472
[AbstractPlus](#) | Full Text: [PDF](#)(1056 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 5. **API Standard 546-a new purchase specification for large synchronous motors and generators**
Hamer, P.S.; McClung, L.B.; Bredthauer, J.;
[Petroleum and Chemical Industry Conference, 1990. Record of Conference Papers.. Industry Applications Society 37th Annual](#)
10-12 Sept. 1990 Page(s):31 - 39
Digital Object Identifier 10.1109/PCICON.1990.218081

[AbstractPlus](#) | [Full Text: PDF\(816 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **6. Elliptic curve cryptosystem and its applications**
Raju, G.V.S.; Akbani, R.;
[Systems, Man and Cybernetics, 2003. IEEE International Conference on](#)
Volume 2, 5-8 Oct. 2003 Page(s):1540 - 1543 vol.2
[AbstractPlus](#) | [Full Text: PDF\(309 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **7. Mixing querying and navigation in MIX**
Mukhopadhyay, P.; Papakonstantinou, Y.;
[Data Engineering, 2002. Proceedings. 18th International Conference on](#)
26 Feb.-1 March 2002 Page(s):245 - 254
Digital Object Identifier 10.1109/ICDE.2002.994714
[AbstractPlus](#) | [Full Text: PDF\(511 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **8. Simgrid: a toolkit for the simulation of application scheduling**
Casanova, H.;
[Cluster Computing and the Grid, 2001. Proceedings. First IEEE/ACM International Symposium on](#)
15-18 May 2001 Page(s):430 - 437
Digital Object Identifier 10.1109/CCGRID.2001.923223
[AbstractPlus](#) | [Full Text: PDF\(716 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **9. Comparative evaluation of software implementations of layer-4 packet classification schemes**
Sahasranaman, V.; Buddhikot, M.M.;
[Network Protocols, 2001. Ninth International Conference on](#)
11-14 Nov. 2001 Page(s):220 - 228
[AbstractPlus](#) | [Full Text: PDF\(892 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **10. VizWiz: a Java applet for interactive 3D scientific visualization on the Web**
Michaels, C.; Bailey, M.;
[Visualization '97. Proceedings](#)
19-24 Oct. 1997 Page(s):261 - 267, 550
Digital Object Identifier 10.1109/VISUAL.1997.663891
[AbstractPlus](#) | [Full Text: PDF\(744 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **11. The Tile and General Research Imaging System (TIGRIS)**
Simpson, J.J.; Al-Rawi, L.L.;
[Geoscience and Remote Sensing, IEEE Transactions on](#)
Volume 34, Issue 1, Jan. 1996 Page(s):149 - 162
Digital Object Identifier 10.1109/36.481900
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(3484 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)

- ☐ **12. Modeling multidimensional databases**
Agrawal, R.; Gupta, A.; Sarawagi, S.;
[Data Engineering, 1997. Proceedings. 13th International Conference on](#)
7-11 April 1997 Page(s):232 - 243
Digital Object Identifier 10.1109/ICDE.1997.581777
[AbstractPlus](#) | [Full Text: PDF\(972 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

- ☐ **13. Manageability of Java-based digital TV receivers**
Meandzija, B.;
[Selected Areas in Communications, IEEE Journal on](#)

Volume 18, Issue 5, May 2000 Page(s):795 - 805
Digital Object Identifier 10.1109/49.842994

[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(172 KB) IEEE JNL
[Rights and Permissions](#)

- ☐ **14. The Almaden OptimalGrid project**
Deen, G.; Lehman, T.; Kaufman, J.;
[Autonomic Computing Workshop, 2003](#)
25 June 2003 Page(s):14 - 21
[AbstractPlus](#) | Full Text: [PDF](#)(421 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **15. An audio-video content abstraction program interface (CAPI) for home network applications**
Eytchison, E.B.;
[Consumer Electronics, 2001. ICCE, International Conference on](#)
19-21 June 2001 Page(s):310 - 311
Digital Object Identifier 10.1109/ICCE.2001.935323
[AbstractPlus](#) | Full Text: [PDF](#)(340 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **16. Bridging the gap between embedded test and ATE**
Bell, M.; Danialy, G.; Howells, M.; Pateras, S.;
[Test Conference, 2000. Proceedings. International](#)
3-5 Oct. 2000 Page(s):55 - 63
Digital Object Identifier 10.1109/TEST.2000.894191
[AbstractPlus](#) | Full Text: [PDF](#)(592 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **17. The future of wireless application development for a connected vehicle**
Pu, K.;
[Northcon/98 Conference Proceedings](#)
21-23 Oct. 1998 Page(s):104 - 106
Digital Object Identifier 10.1109/NORTHHC.1998.731520
[AbstractPlus](#) | Full Text: [PDF](#)(228 KB) IEEE CNF
[Rights and Permissions](#)



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

+api +hba

SEARCH

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Published before October 2003

Terms used **api hba**

Found 4 of 147,272

Sort results by

relevance

Display results

expanded form

☒ [Save results to a Binder](#)
☐ [Search Tips](#)
☐ Open results in a new window
Try an [Advanced Search](#)Try this search in [The ACM Guide](#)

Results 1 - 4 of 4

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Promises and reality: Server I/O networks past, present, and future](#)



Renato John Recio

 August 2003 **Proceedings of the ACM SIGCOMM workshop on Network-I/O convergence: experience, lessons, implications NICELI '03**

Publisher: ACM Press

 Full text available: [pdf\(225.62 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Enterprise and technical customers place a diverse set of requirements on server I/O networks. In the past, no single network type has been able to satisfy all of these requirements. As a result several fabric types evolved and several interconnects emerged to satisfy a subset of the requirements. Recently several technologies have emerged that enable a single interconnect to be used as more than one fabric type. This paper will describe the requirements customers place on server I/O networks; t ...

Keywords: 10 GigE, Cluster, Cluster Networks, Gigabit Ethernet, I/O Expansion Network, IOEN, InfiniBand, LAN, PCI, PCI Express, RDMA, RNIC, SAN, Socket Extensions, TOE, IONIC, iSCSI, iSER

2 [The multidimensional database system RasDaMan](#)



P. Baumann, A. Dehmel, P. Furtado, R. Ritsch, N. Widmann

 June 1998 **ACM SIGMOD Record , Proceedings of the 1998 ACM SIGMOD international conference on Management of data SIGMOD '98**, Volume 27 Issue 2

Publisher: ACM Press

 Full text available: [pdf\(463.46 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

RasDaMan is a universal — i.e., domain-independent — array DBMS for multidimensional arrays of arbitrary size and structure. A declarative, SQL-based array query language offers flexible retrieval and manipulation. Efficient server-based query evaluation is enabled by an intelligent optimizer and a streamlined storage architecture based on flexible array tiling and compression. RasDaMan is being used in several international projects for the management of geo and heal ...

3 [On the "Reverse Order Law" Related to the Generalized Inverse of Matrix Products](#)



Ivan Erdelyi

 July 1966 **Journal of the ACM (JACM)**, Volume 13 Issue 3

Publisher: ACM Press

 Full text available: [pdf\(409.40 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The "reverse order law" related to ordinary inverses of matrix products, i.e., $(AB)^{-1} = B^{-1}A^{-1}$, is generally not transferable to the generalized inverse. There are, however,

applications in which the reverse order law related to the generalized inverse reveals interesting properties in certain classes of matrices. In this paper, some necessary and suffice ...

4 Error bounds for performance prediction in queuing networks



Y. C. Tay, Rajan Suri

August 1985 **ACM Transactions on Computer Systems (TOCS)**, Volume 3 Issue 3

Publisher: ACM Press

Full text available: pdf(1.67 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Analytic models based on closed queuing networks (CQNS) are widely used for performance prediction in practical systems. In using such models, there is always a prediction error, that is, a difference between the predicted performance and the actual outcome. This prediction error is due both to modeling errors and estimation errors, the latter being the difference between the estimated values of the CQN parameters and the actual outcomes. This paper considers the second class of errors; in ...

Results 1 - 4 of 4

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

+api +san +hba

SEARCH

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Published before October 2003

Terms used **api san hba**

Found 2 of 147,272

Sort results by

relevance

Display results

expanded form

☒ [Save results to a Binder](#)
☒ [Search Tips](#)
☐ Open results in a new window
Try an [Advanced Search](#)Try this search in [The ACM Guide](#)

Results 1 - 2 of 2

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Promises and reality: Server I/O networks past, present, and future](#)



Renato John Reclo

 August 2003 **Proceedings of the ACM SIGCOMM workshop on Network-I/O convergence: experience, lessons, implications NICELI '03**

Publisher: ACM Press

 Full text available: [pdf\(225.62 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Enterprise and technical customers place a diverse set of requirements on server I/O networks. In the past, no single network type has been able to satisfy all of these requirements. As a result several fabric types evolved and several interconnects emerged to satisfy a subset of the requirements. Recently several technologies have emerged that enable a single interconnect to be used as more than one fabric type. This paper will describe the requirements customers place on server I/O networks; t ...

Keywords: 10 Gige, Cluster, Cluster Networks, Gigabit Ethernet, I/O Expansion Network, IOEN, InfiniBand, LAN, PCI, PCI Express, RDMA, RNIC, SAN, Socket Extensions, TOE, IONIC, ISCSI, ISER

2 [The multidimensional database system RasDaMan](#)



P. Baumann, A. Dehmel, P. Furtado, R. Ritsch, N. Widmann

 June 1998 **ACM SIGMOD Record , Proceedings of the 1998 ACM SIGMOD international conference on Management of data SIGMOD '98**, Volume 27 Issue 2

Publisher: ACM Press

 Full text available: [pdf\(463.46 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

RasDaMan is a universal — i.e., domain-independent — array DBMS for multidimensional arrays of arbitrary size and structure. A declarative, SQL-based array query language offers flexible retrieval and manipulation. Efficient server-based query evaluation is enabled by an intelligent optimizer and a streamlined storage architecture based on flexible array tiling and compression. RasDaMan is being used in several international projects for the management of geo and heal ...

Results 1 - 2 of 2

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

 Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)